

~~SECRET STIPPLED NOFORN
SPECIAL ACCESS REQUIRED~~

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER:	9027	SESSION NUMBER:	2
DATE OF SESSION:	17 MAY 90	DATE OF REPORT:	18 MAY 90
START:	1530	END:	1606
METHODOLOGY:	SOLO	VIEWER IDENTIFIER:	003

1. (S/STD) MISSION: To describe the target structure, identifying the entrances, the personnel who control it (who works/stays there; who comes and goes), its interior, and the contents of "containers in the structure".

2. (S/STD) VIEWER TASKING:

a. "Describe in greater detail the room which you previously described as "sharing a common wall with the courtyard" and which "light enters from higher up, either through a transom or skylight".

b. "Investigate all entrances/exits and where they lead."

c. 003 was also informed that the room in question may possibly be under the structure, rather than at structure level.

3. (S/STD) COMMENTS: No Physical Inclemencies reported.

4. (S/STD) EVALUATION: 3

5. (S/STD) SEARCH EVALUATION: N/A

Proj Mgr: 018

CLASSIFIED BY: DIA (DT)
DECLASSIFY: OADR

~~SECRET STIPPLED NOFORN
SPECIAL ACCESS REQUIRED
Handle Via SKEET Channels Only~~

~~SECRET//NOFORN~~

Working paper

Proj. no: 9027
Date: 17 May 90
Viewer: 003
Session: 001
Monitor: N/A
Time: 1530-1606

Summary of Information

Room in question is partially under the ground, partially under the structure. There are at least three rooms or spaces at this level, only one of which is of interest. Access into the room of interest from these other spaces is closed off, at least partly due to the fact that the level of contents in the room of interest is so high as to block passage into it. There is also the sense that these ingress/egress points would be sealed anyway to limit and control access to the area. The only usable access to the room is from the outside rear of the structure, and is a set of masonry stairs leading down to below ground level. Once through the door, the stairs become wood. There is an impression that trucks pull up to this stairway/door to load and unload quantities of material. It is stuffy, still, dark, and close in this areas surrounding the room of interest, and these other spaces have the air of not being used much.

There are stairs from the inside of the structure above into the room to the left of the room of interest, and the space on the other side has the feeling of having been used to garage cars and as a shop/maintenance space for vehicles, but is no longer

used much, either. It does, however, seem to have access to the outside, as if through openable garage doors.

Handle Via SKEET Channels Only

~~SECRET (STIPPLED) (NOFORN)~~

SUI

2

Approved For Release 2000/08/08 : CIA-RDP96-00789R000900170007-8

S2

D

H1

EI

T

I

del

H13

Underground
room(c)

1/2 Portrait under ground, partially under surface.

Stop

dark

still

close

Approved For Release 2000/08/08 : CIA-RDP96-00789R000900170007-8

1606


9027
900517
003
S:02

Counting and
Counting and

Stairs
Stairs down (beats) in
shutting light
wires

~~XXXX~~

TAB 'A'



~~SECRET STIPPLED NOFORN
SPECIAL ACCESS REQUIRED~~

WORKING PAPER

17 MAY 90

TASKER

1. (S/STD) PROJECT: 9027.
2. (S/STD) ENCRYPTED COORDINATES: 957376/104305.
3. (S/STD) BACKGROUND: The target is a structure.
4. (S/STD) ESSENTIAL ELEMENTS OF INFORMATION:
 - a. Describe in greater detail the room which you previously described as "sharing a common wall with the courtyard" and which "light enters from higher up, either through a transom or skylight."
 - b. Investigate all entrances/exits and where they lead.

Provide sketches in support of your findings.

~~SECRET STIPPLED NOFORN
SPECIAL ACCESS REQUIRED
Handle Via SKEET Channels Only~~